

JV "Uz-Kor Gas Chemical" LLC
230100, Republic of Uzbekistan,
Republic of Karakalpakstan,
Nukus city, Turtkul Guzari str. 121

СП ООО «Uz-Kor Gas Chemical»
230100, Республика Узбекистан
Республика Каракалпакстан
г. Нукус, ул. Турткул Гузари 121



TO: HEAD OF COMPANY.

JV "Uz-Kor Gas Chemical" LLC hereinafter referred to as the Customer has announced the commencement of Competitive Selection #CS-113/2026 for supply of spare parts for dosing pumps in accordance with Appendix #1.

The potential suppliers will be disqualified from participation in competitive selection:

- a) which are under reorganization (amalgamation, joining, separation, restructuring), liquidation or bankruptcy;
- b) which didn't submit all the necessary documents for competitive selection within set timeframe;
- c) which have not fulfilled their commitments undertaken on previously concluded contracts;
- d) which have pending litigation with Customer;
- e) Companies should not be registered in the States or territories that provide preferential tax treatment and / or do not consider disclosure of information during financial transactions (offshore zones), or which have accounts at banks located in offshore zones according to the legislation of Republic of Uzbekistan;

Please provide commercial proposal until 3:00 PM by Tashkent time on 18/06/2026.

With respect and hope for long-term cooperation.

Exec.: Sabirov Sh.
Add.: 218
E-mail: s.sabirov@uz-kor.com

КОМУ: РУКОВОДИТЕЛЮ ОРГАНИЗАЦИИ.

Совместное Предприятие Общество с Ограниченной Ответственностью «Uz-Kor Gas Chemical», именуемое в дальнейшем «Заказчик», объявляет о начале Конкурсного отбора №CS-113/2026 на поставку запасных частей для дозирующих насосов, согласно Приложению №1.

Не допускаются к участию в конкурсном отборе следующие потенциальные поставщики:

- а) находящиеся на стадии реорганизации (слияния, присоединения, разделения, выделения, преобразования), ликвидации или банкротства;
- б) не предоставившие в установленный срок все необходимые документы для конкурсного отбора;
- в) не надлежаще исполнявших принятые обязательства по ранее заключенным контрактам;
- г) находящиеся в состоянии судебного разбирательства с Заказчиком;
- д) зарегистрированные в государствах или территориях, предоставляющих льготный налоговый режим и/или не предусматривающих раскрытие и предоставление информации при проведении финансовых операций (оффшорные зоны), или имеющих счета в банках, находящихся в оффшорных зонах согласно законодательству Республики Узбекистан;

Просим предоставить коммерческое предложение до 15:00 часов по Ташкентскому времени 18/06/2026г.

С уважением и надеждой на долгосрочное сотрудничество.

Исп.: Сабилов Ш.
Вн.: 218
E-mail: s.sabirov@uz-kor.com

Contacts for providing commercial proposals and related documents:

Fax: 8 (371) 129-29-01 or by e-mail (scanned version in PDF format)

To: s.sabirov@uz-kor.com

Subject: Supply of spare parts

Mandatory delivery terms:

DAP Tashkent, Uzbekistan

Delivery within 60 days after signing of a contract.

100% payment after delivery (other payment terms are not accepted)

Certificate of conformance or equivalent document shall be submitted with commercial proposal

Commercial proposals should be on company letterhead, signed by the manager, contain delivery term and certified by the seal and must meet all the requirements.

Контакты для предоставления коммерческих предложений и сопутствующей документации: Факс: 8 (371) 129-29-01 либо на электронный адрес (сканированная версия в формате PDF)

Кому: s.sabirov@uz-kor.com

Тема: Поставка запасных частей

Обязательные условия поставки:

DAP Ташкент, Узбекистан.

Доставка в течение 60 дней после подписания договора

100% оплата после поставки (прочие условия оплаты не рассматриваются)

С коммерческим предложением предоставить копию сертификата соответствия или эквивалентный документ.

Коммерческое предложение должно быть на фирменном бланке с подписью руководителя заверенная печатью и должно отвечать всем требованиям указанным ниже, а также с указанием условий и срока поставки.

Specification of Pump/ Технические характеристики насосов			Description of Parts/ Описание частей	Part number/ Номер детали	Material/ Материал	Drawing location number/ Номер позиции на чертеже	Qty (Purchase) / Кол- во (закупка)
No.	Pump Item No./ Номер позиции насоса	Model No./ Модель №					
1	X-8202-P1-A/S	RA12-17.10.5X.SE.SE.M2.NB	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	4
2	X-8203-P1-A/S	RA11-17.48.5X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	4
3	X-8204-P1-A/S	RA12-10.15.5X.SE.SE.M2.NB	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	4
4	X-8205-P1-A/S	RH15-24.5X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	4
5	X-8206-P1-A/S	RA11-17.48.5X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	4
6	X-8303-P1A/S	RA11-17.24.5X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	10
7	X-8304-P1A/S	RH11-24.5X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	8
8	X-8305-P2A/B/S	RH11-15.5X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	18
9	X-8305-P1A/S	XT11-10.5X.NN.M1.NN.NN	O-Ring, 2-042, Nitrile, 70 Duro	4080126101	Nitrile	120	2
10	X-8305-P1A/S	XT11-10.5X.NN.M1.NN.NN	O-Ring, Parker 2-216 BUNA N	4080095071	Nitrile	20	2
11	X-8305-P1A/S	XT11-10.5X.NN.M1.NN.NN	O-Ring, 2-009, Nitrile, 90 Duro	40313	Nitrile	310	4
12	X-8101-P7A/B/S	RA17-17.24.6X.SE.SE.M2.NB	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	12
13	X-8101-P8A/B/S	RB11-12.6X.SE.SE.AL.NN	O-Ring, Parker 2-113	408-0068-032	Urethane	150	18
14	X-8101-P9A/B/S	RM11-12.6X.SE.SE.AL.NN	O-Ring, Parker 2-113	408-0068-032	Urethane	150	18
15	X-8101-P10A/B/S	MBH561-8G.PB.ME.M4.SE.ST.11.NN.11	O-Ring,BUNA	408-0068-471	Buna	660	6
16	X-8101-P11A/S	MBH561-8G.PB.ME.M4.SE.ST.11.NN.11	O-Ring,BUNA	408-0068-471	Buna	660	6
17	X-8101-P11A/S	MBH561-8G.PB.ME.M4.SE.ST.11.NN.11	Piston Seal	408-0107-010		893	4
18	X-8101-P10A/B/S	MBH561-8G.PB.ME.M4.SE.ST.11.NN.11	O-Ring,BUNA	408-0095-291	Buna	920	6
19	X-8101-P10A/B/S	MBH561-8G.PB.ME.M4.SE.ST.11.NN.11	Gasket , Disp Chamber	225-0079-099		590	6
20	X-8101-P11A/S	MBH561-8G.PB.ME.M4.SE.ST.11.NN.11	Gasket , Disp Chamber	225-0079-099		590	4
21	X-8102-P6A/B/S	RA11-07.15.6X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	9
22	X-8103-P1A/S	RA17-07.24.6X.SE.SE.E1.NB	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	6
23	X-8103-P2A/S	RB11-19.6X.SE.SE.E2.NN	O-Ring, Parker 2-113	408-0068-032	Urethane	150	12
24	X-8702-P9A/S	RA17-10.24.6X.SE.SE.M2.NB	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	6
25	X-8702-P11A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	O-Ring,BUNA	408-0068-471	Buna	660	4
26	X-8702-P13A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	O-Ring,BUNA	408-0068-471	Buna	660	4
27	X-8702-P11A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	Piston Seal	408-0107-010		893	4
28	X-8702-P13A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	Piston Seal	408-0107-010		893	4
29	X-8702-P12A/S	MBH401-8F. PB.MD.M4.SE.ST.11.NN.11	O-Ring,BUNA	408-0095-291	Buna	920	4
30	X-8702-P11A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	Gasket , Disp Chamber	225-0079-099		590	4
31	X-8702-P13A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	Gasket , Disp Chamber	225-0079-099		590	4
32	X-8702-P14A/S	RA11-07.15.6X. SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	6
33	X-8702-P16A/S	RA15-17.24.6X. SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	6
34	X-8701-P17 A / S	RH1L-24.6X.SE.SE.E2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	6
35	X-8701-P18 A / B / S	RH1L-24.6X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	9
36	X-8701-P20A/S	RA17-17.10.6X.SE.SE.M2.NN	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	6
37	X-8701-P21A/ B/ S	RA17-10.24.6X.SE.SE.M2.NB	O-Ring, Parker 2-011	408-0109-082	Polyurethane	150	9
38	X-8301-P4A/S	RB15197XTIT1ALNB	E-Ring- 1/4" Control Knob	404-0124-096	Steel	220	4
39	X-8302-P4A/S	RB15197XTIT1ALNB	Bearing Single Row	409-9994-000		680	4
40	X-8301-P4A/S	RB15197XTIT1ALNB	Bearing Tapered Roller	409-0066-016		670	4
41	X-8202-P1-A/S	RA12-17.10.5X.SE.SE.M2.NB	90° Elbow-Special Reinforced	808-005SR	PVCI		8
42	X-8204-P1-A/S	RA12-10.15.5X.SE.SE.M2.NB	90° Elbow-Special Reinforced	808-005SR	PVCI		8
43	X-8101-P7A/B/S	RA17-17.24.6X.SE.SE.M2.NB	90° Elbow-Special Reinforced	808-005SR	PVCI		12
44	X-8101-P8A/B/S	RB11-12.6X.SE.SE.AL.NN	90° Elbow-Special Reinforced	808-005SR	PVCI		12
45	X-8103-P1A/S	RA17-07.24.6X.SE.SE.E1.NB	90° Elbow-Special Reinforced	808-005SR	PVCI		8

Specification of Pump/ Технические характеристики насосов			Description of Parts/ Описание частей	Part number/ Номер детали	Material/ Материал	Drawing location number/ Номер позиции на чертеже	Qty (Purchase) / Кол- во (закупка)
No.	Pump Item No./ Номер позиции насоса	Model No./ Модель №					
46	X-8702-P9A/S	RA17-10.24 .6X.SE.SE.M2.NB	90° Elbow-Special Reinforced	808-005SR	PVCI		8
47	X-8702-P11A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	90° Elbow-Special Reinforced	808-010SR	PVCI		8
48	X-8702-P13A/S	MBH402-8F. PB.MD.M4.SE.ST.11.NN.22	90° Elbow-Special Reinforced	808-010SR	PVCI		8
49	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	Poppet, Relief Valve	2121166074	Nylon	30	2
50	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	Spring, Relief Valve	280116041	Steel	40	2
51	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	Adjusting Screw, Relief Valve	405116014	Steel	50	2
52	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	O-Ring, Parker 2-011	408116082	Polyurethane	150	12
53	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	E-Ring - 1/4", Control Knob	404116096	Steel	220	2
54	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	O-Ring, Reservoir Cap	408116071	NBR	1340	2
55	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	Ring, Sq. - 3.75 Id x 1/8wall (Models "RA", "RJ", and "RP" only)	4081164010	NBR	260	2
56	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	O-Ring, Discharge Check Valve Cap	408116043	PTFE	460	4
57	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	O-Ring, Check Valve Lock Nut	408116065	FKM (VITON)	540	8
58	X-1501-P1/P2	RJ11-15.6X.SE.SE.M2.NN	Diaphragm, 8 bolt - 4" Diameter	2981165175	PTFE	290	2
59	P-2340A/B	RB15-12.6X.SE.SE.EB.NN	O-Ring, Parker 2-113	408-0068-032	Urethane	150	12
60	P-2340A/B	RB15-12.6X.SE.SE.EB.NN	BEARING,TAPERED ROLLER	409-0066-010		670	3
61	P-2340A/B	RB15-12.6X.SE.SE.EB.NN	BEARING,SINGLE ROW	409-9994-000		680	3
62	P-2340A/B	RB15-12.6X.SE.SE.EB.NN	Sleeve, Threaded	243-0059-051		170	4
63	P-2340A/B	RB15-12.6X.SE.SE.EB.NN	Bearing, Control Spool	237-0075-052		213	4

